



2012 Enclosure Specifications

SERIES/MODEL	WIDTH	DIMENSION DEPTH	HEIGHT	PROFILE	VOLUME (CU FT)	TUNING (HZ)	MDF BODY	MDF BAFFLE	MOUNTING DEPTH	WOOFER CUT-OUT
STREET WEDGE SERIES - SEALED										
SW8B	11.75"	8"	9.75"	WEDGE	0.27	N/A	5/8"	3/4"	5.75"	7.1"
SW10B	15.75"	8.75"	13"	WEDGE	0.54	N/A	5/8"	3/4"	6.25"	9.25"
SW12B	18.25"	10"	15"	WEDGE	0.88	N/A	5/8"	3/4"	7.25"	11.125"
SW15B	22.25"	10.75"	18.5"	WEDGE	1.45	N/A	5/8"	3/4"	7.75"	14"
SW208B	21.25"	8"	9.75"	WEDGE	0.54	N/A	5/8"	3/4"	5.75"	7.1"
SW210B	28.75"	8.75"	13"	WEDGE	1.08	N/A	5/8"	3/4"	6.25"	9.25"
SW212B	32"	10"	15"	WEDGE	1.76	N/A	5/8"	3/4"	7.25"	11.125"
SW215B	39.75"	10.5"	18.5"	WEDGE	2.9	N/A	5/8"	3/4"	7.75"	14"
STREET WEDGE SERIES - PORTED										
SWP8B	17"	10.75"	9.75"	WEDGE	0.56	40HZ	5/8"	3/4"	7.5"	7.1"
SWP10B	18.75"	11.25"	13"	WEDGE	0.91	40HZ	5/8"	3/4"	7.5"	9.25"
SWP12B	20.25"	12.25"	15"	WEDGE	1.23	40HZ	5/8"	3/4"	8.25"	11.125"
SWP15B	23"	14"	18.5"	WEDGE	1.9	40HZ	5/8"	3/4"	9.5"	14"
SWP208B	23.25"	13.75"	9.75"	WEDGE	1.12	40HZ	5/8"	3/4"	7.5"	7.1"
SWP210B	29.25"	13.75"	13"	WEDGE	1.82	40HZ	5/8"	3/4"	7.5"	9.25"
SWP212B	33"	14.25"	15"	WEDGE	2.46	40HZ	5/8"	3/4"	8.25"	11.125"
SWP215B	39.75"	14.25"	18.5"	WEDGE	3.8	40HZ	5/8"	3/4"	9.5"	14"
WEDGE BACK SERIES (5/8") - SEALED										
WBS8-58	11.5"	8"	9.75"	WEDGE	0.27	N/A	5/8"	5/8"	5.75"	7.1"
WBS10-58	15.5"	8.75"	13"	WEDGE	0.54	N/A	5/8"	5/8"	6.25"	9.25"
WBS12-58	18"	10"	15"	WEDGE	0.88	N/A	5/8"	5/8"	7.25"	11.125"
WBS15-58	22"	10.75"	18.5"	WEDGE	1.45	N/A	5/8"	5/8"	7.75"	14"
WBS208-58	21"	8"	9.75"	WEDGE	0.54	N/A	5/8"	5/8"	5.75"	7.1"
WBS210-58	28.5"	8.75"	13"	WEDGE	1.08	N/A	5/8"	5/8"	6.25"	9.25"
WBS212-58	31.75"	10"	15"	WEDGE	1.76	N/A	5/8"	5/8"	7.25"	11.125"
WBS215-58	39.5"	10.5"	18.5"	WEDGE	2.9	N/A	5/8"	5/8"	7.75"	14"
WEDGE BACK SERIES (5/8") - PORTED										
WBP8-58	16.75"	10.75"	9.75"	WEDGE	0.56	39HZ	5/8"	5/8"	7.5"	7.1"
WBP10-58	18.5"	11.25"	13"	WEDGE	0.91	38HZ	5/8"	5/8"	7.5"	9.25"
WBP12-58	20"	12.25"	15"	WEDGE	1.23	36HZ	5/8"	5/8"	8.25"	11.125"
WBP15-58	22.75"	14"	18.5"	WEDGE	1.9	34HZ	5/8"	5/8"	9.5"	14"
WBP208-58	23"	13.75"	9.75"	WEDGE	1.12	39HZ	5/8"	5/8"	7.5"	7.1"
WBP210-58	29"	13.75"	13"	WEDGE	1.82	38HZ	5/8"	5/8"	7.5"	9.25"
WBP212-58	32.75"	14.25"	15"	WEDGE	2.46	36HZ	5/8"	5/8"	8.25"	11.125"
WBP215-58	39.5"	14.25"	18.5"	WEDGE	3.8	34HZ	5/8"	5/8"	9.5"	14"
WEDGE BACK SERIES (3/4") - SEALED										
WBS8-34	11.75"	8.25"	10"	WEDGE	0.27	N/A	3/4"	3/4"	5.75"	7.1"
WBS10-34	15.75"	9"	13.25"	WEDGE	0.54	N/A	3/4"	3/4"	6.25"	9.25"
WBS12-34	18.25"	10.25"	15.25"	WEDGE	0.88	N/A	3/4"	3/4"	7.25"	11.125"
WBS15-34	22.25"	11"	18.75"	WEDGE	1.45	N/A	3/4"	3/4"	7.75"	14"
WBS208-34	21.25"	8.25"	10"	WEDGE	0.54	N/A	3/4"	3/4"	5.75"	7.1"
WBS210-34	28.75"	9"	13.25"	WEDGE	1.08	N/A	3/4"	3/4"	6.25"	9.25"
WBS212-34	32"	10.25"	15.25"	WEDGE	1.76	N/A	3/4"	3/4"	7.25"	11.125"
WBS215-34	39.75"	10.75"	18.75"	WEDGE	2.9	N/A	3/4"	3/4"	7.75"	14"
WEDGE BACK SERIES (3/4") - PORTED										
WBP8-34	17"	11"	10"	WEDGE	0.56	39HZ	3/4"	3/4"	7.5"	7.1"
WBP10-34	18.75"	11.5"	13.25"	WEDGE	0.91	38HZ	3/4"	3/4"	7.5"	9.25"
WBP12-34	20.25"	12.5"	15.25"	WEDGE	1.23	36HZ	3/4"	3/4"	8.25"	11.125"
WBP15-34	23"	14.25"	18.75"	WEDGE	1.9	34HZ	3/4"	3/4"	9.5"	14"
WBP208-34	23.25"	14"	10"	WEDGE	1.12	39HZ	3/4"	3/4"	7.5"	7.1"
WBP210-34	29.25"	14"	13.25"	WEDGE	1.82	38HZ	3/4"	3/4"	7.5"	9.25"
WBP212-34	33"	14.5"	15.25"	WEDGE	2.46	36HZ	3/4"	3/4"	8.25"	11.125"
WBP215-34	39.75"	14.5"	18.75"	WEDGE	3.8	34HZ	3/4"	3/4"	9.5"	14"
WEDGE BACK SERIES (1") - SEALED										
WBS8-1	12.25"	8.75"	10.5"	WEDGE	0.27	N/A	1"	1"	6"	7.1"
WBS10-1	16.25"	9.5"	13.75"	WEDGE	0.54	N/A	1"	1"	6.5"	9.25"
WBS12-1	18.75"	10.75"	15.75"	WEDGE	0.88	N/A	1"	1"	7.5"	11.125"
WBS15-1	22.75"	11.5"	19.25"	WEDGE	1.45	N/A	1"	1"	8"	14"
WBS208-1	21.75"	8.75"	10.5"	WEDGE	0.54	N/A	1"	1"	6"	7.1"
WBS210-1	29.25"	9.5"	13.75"	WEDGE	1.08	N/A	1"	1"	6.5"	9.25"
WBS212-1	32.5"	10.75"	15.75"	WEDGE	1.76	N/A	1"	1"	7.5"	11.125"
WBS215-1	40.25"	11.25"	19.25"	WEDGE	2.9	N/A	1"	1"	8"	14"



2012 Enclosure Specifications

SERIES/MODEL	WIDTH	DIMENSION DEPTH	HEIGHT	PROFILE	VOLUME (CU FT)	TUNING (HZ)	MDF BODY	MDF BAFFLE	MOUNTING DEPTH	WOOFER CUT-OUT
REFERENCE SERIES - SEALED										
RS8R	12.25"	8.75"	10.5"	WEDGE	0.35	N/A	3/4"	1"	6.25"	7.1"
RS10R	15.25"	9.75"	13"	WEDGE	0.6	N/A	3/4"	1"	6.5"	9.25"
RS12R	18"	11"	15"	WEDGE	1	N/A	3/4"	1"	7.75"	11.125"
RS15R	22"	12.25"	16.75"	WEDGE	1.6	N/A	3/4"	1"	8.75"	14"
RS208R	21.5"	9.75"	10.5"	WEDGE	0.7	N/A	3/4"	1"	6.75"	7.1"
RS210R	27"	10.25"	13"	WEDGE	1.2	N/A	3/4"	1"	7.25"	9.25"
RS212R	31.5"	12"	15"	WEDGE	2	N/A	3/4"	1"	8.5"	11.125"
RS215R	34"	14.5"	16.75"	WEDGE	3.2	N/A	3/4"	1"	10.75"	14"
RS308R	29"	10.25"	10.5"	WEDGE	1.05	N/A	3/4"	1"	7.5"	7.1"
REFERENCE SERIES - PORTED										
RP8R	14.25"	12.25"	10.5"	WEDGE	0.6	39HZ	3/4"	1"	6.5"	7.1"
RP10R	17.25"	15.25"	13"	WEDGE	1.25	36HZ	3/4"	1"	8.75"	9.25"
RP10RS	16.25"	13.5"	13"	WEDGE	1	37HZ	3/4"	1"	7.25"	9.25"
RP12R	19"	15.25"	15"	WEDGE	1.5	34HZ	3/4"	1"	7.5"	11.125"
RP12RS	18.25"	14.5"	15"	WEDGE	1.35	37HZ	3/4"	1"	6.75"	11.125"
RP15R	22"	18.75"	18"	WEDGE	2.8	32HZ	3/4"	1"	9.25"	14"
RP15RS	22"	16.75"	18"	WEDGE	2.4	33HZ	3/4"	1"	7.5"	14"
RP208R	25"	13"	10.5"	WEDGE	1.2	39HZ	3/4"	1"	6.5"	7.1"
RP210R	30.5"	16.5"	13"	WEDGE	2.5	36HZ	3/4"	1"	8"	9.25"
RP210RS	27.5"	15.75"	13"	WEDGE	2	37HZ	3/4"	1"	7"	9.25"
RP212R	31.5"	17.25"	15"	WEDGE	3	34HZ	3/4"	1"	7.25"	11.125"
RP212RS	29.75"	16.5"	15"	WEDGE	2.6	35HZ	3/4"	1"	6.5"	11.125"
RP215R	37.25"	20.25"	18"	WEDGE	5.6	32HZ	3/4"	1"	9.75"	14"
RP215RS	35.5"	19"	18"	WEDGE	4.8	33HZ	3/4"	1"	8.5"	14"
RP308R	30.5"	15.25"	10.5"	WEDGE	1.8	39HZ	3/4"	1"	7.5"	7.1"
INVERTED SERIES - PORTED										
SLRP210	29"	19"	14"	TRAPEZOID	2.2	38HZ	3/4"	1"	6"	9.25"
SLRP212	30.75"	22"	15.75"	TRAPEZOID	3	36HZ	3/4"	1"	6.5"	11.125"
GLOSS SERIES - PORTED										
GPH10BK	22"	14.4"	13.5"	WEDGE	1.4	38HZ	3/4"	3/4"	11.75"	9.25"
GPH12BK	22.5"	16"	15.5"	WEDGE	1.9	36HZ	3/4"	3/4"	13.25"	11.125"
GPH210BK	31.5"	16.3"	13.5"	WEDGE	2.4	38HZ	3/4"	3/4"	11.5"	9.25"
GPH212BK	33.5"	18"	15.5"	WEDGE	2.8	36HZ	3/4"	3/4"	15"	11.125"
EXTREME GLOSS SERIES - PORTED										
GPX12HD	21.75"	16"	17.5"	SQUARE	1.6	36HZ	1"	1"	10.75"	11.125"
GPX212HD	34"	16.5"	16.5"	SQUARE	3.2	36HZ	1"	1"	10.75"	11.125"
SQUARE WOOFER SERIES - PORTED										
SQP8	21.5"	10.25"	11"	WEDGE	0.66	52HZ	3/4"	3/4"	6.25"	7.1"
SQP10	25.75"	13.75"	13"	WEDGE	1.35	47HZ	3/4"	3/4"	9.25"	9.25"
SQP12	27.25"	14.5"	14.75"	WEDGE	1.85	44HZ	3/4"	3/4"	8.5"	11.125"
SQP15	33.25"	15.5"	17.5"	WEDGE	3	40HZ	3/4"	3/4"	9.75"	14"
SQP208	26.25"	14.5"	11"	WEDGE	1.32	52HZ	3/4"	3/4"	9.75"	7.1"
SQP210	33.25"	17"	15"	WEDGE	2.7	47HZ	3/4"	3/4"	9.25"	9.25"
SQP212	33.25"	19"	16.5"	WEDGE	3.7	44HZ	3/4"	3/4"	11.25"	11.125"
SQP215	40"	21.5"	17.5"	WEDGE	6	40HZ	3/4"	3/4"	14.5"	14"
SHALLOW SERIES - SEALED										
SWS10	22"	6.25"	14"	WEDGE	0.6	N/A	5/8"	5/8"	3.5"	9.25"
SWS12	25.25"	6.5"	16"	WEDGE	0.8	N/A	5/8"	5/8"	3.5"	11.125"
SWS210	30.75"	6.25"	14"	WEDGE	0.9	N/A	5/8"	5/8"	3.5"	9.25"
SWS212	32"	6.5"	16"	WEDGE	1.1	N/A	5/8"	5/8"	3.5"	11.125"
TRUCK SERIES - SEALED										
TS8	14.5"	6.5"	12"	WEDGE	0.35	N/A	5/8"	5/8"	4.75"	7.1"
TS10	17"	7.75"	13.5"	WEDGE	0.6	N/A	5/8"	5/8"	6"	9.25"
TS12	22.5"	8.5"	14.75"	WEDGE	1	N/A	5/8"	5/8"	6.5"	11.125"
TS208	27.5"	6.5"	12"	WEDGE	0.7	N/A	5/8"	5/8"	4.75"	7.1"
TS210	32.25"	7.75"	13.5"	WEDGE	1.2	N/A	5/8"	5/8"	6"	9.25"
TS212	43.5"	8.5"	14.75"	WEDGE	2	N/A	5/8"	5/8"	6.5"	11.125"



2012 Enclosure Specifications

SERIES/MODEL	WIDTH	DIMENSION DEPTH	HEIGHT	PROFILE	VOLUME (CU FT)	TUNING (HZ)	MDF BODY	MDF BAFFLE	MOUNTING DEPTH	WOOFER CUT-OUT
TRUCK SERIES - PORTED										
TP8	20.75"	7.5"	12"	WEDGE	0.6	39HZ	5/8"	5/8"	5.5"	7.1"
TP10	26.25"	7.5"	14"	WEDGE	0.9	38HZ	5/8"	5/8"	6"	9.25"
TP12	28.75"	8.5"	16"	WEDGE	1.3	36HZ	5/8"	5/8"	6.5"	11.125"
TP208	34.75"	7.5"	12"	WEDGE	1	39HZ	5/8"	5/8"	5.5"	7.1"
TP210	42.75"	7.5"	15"	WEDGE	1.6	38HZ	5/8"	5/8"	6"	9.25"
TP212	45.5"	8.5"	17"	WEDGE	2.4	36HZ	5/8"	5/8"	6.5"	11.125"
TRUCK SPECIFIC SERIES										
CHEVY10S10	15"	7"	18"	IRREGULAR	0.55	N/A	5/8"	3/4"	5.25"	9.25"
CHEVY10X	23.5"	7.5"	13"	IRREGULAR	0.55	N/A	5/8"	3/4"	5.5"	9.25"
CHEVY210X	60.75"	8.5"	10.5"	IRREGULAR	1.2	N/A	5/8"	3/4"	6"	9.25"
DAKOTA210A	47"	8"	17.5"	IRREGULAR	1.3	N/A	5/8"	3/4"	6"	9.25"
DODGET210C	48.5"	16.5"	10.5"	IRREGULAR	1.3	N/A	5/8"	3/4"	6"	9.25"
F150SC210A	43.5"	11.75"	8.5"	IRREGULAR	2.1	N/A	5/8"	3/4"	6.5"	9.25"
F150SC210C	56"	12.75"	9"	IRREGULAR	1.3	N/A	5/8"	3/4"	5"	9.25"
F150X210A	50.5"	14.25"	7.25"	IRREGULAR	1.3	N/A	5/8"	3/4"	5.5"	9.25"
F150X210B	50"	11.25"	7.75"	IRREGULAR	1.3	N/A	5/8"	3/4"	5.25"	9.25"
F150X210C	50.75"	15"	7.5"	IRREGULAR	1.3	N/A	5/8"	3/4"	5.25"	9.25"
F250C110A	30.75"	12.5"	5.5"	IRREGULAR	0.45	N/A	5/8"	3/4"	3.25"	9.25"
F250C210A	34"	6.5"	16"	IRREGULAR	1.1	N/A	5/8"	3/4"	5.25"	9.25"
F250C210B	36"	6"	16"	IRREGULAR	0.8	N/A	5/8"	3/4"	5.25"	9.25"
F250X210A	53"	10.75"	4.75"	IRREGULAR	1.1	N/A	5/8"	3/4"	4.75"	9.25"
FORD1508	33.25"	11.5"	5"	IRREGULAR	0.55	N/A	5/8"	3/4"	4.5"	7.1"
RAMQ210	57"	13.5"	7.25"	IRREGULAR	1.3	N/A	5/8"	3/4"	6.5"	9.25"
RIDGE210A	49"	12.5"	7"	IRREGULAR	1.2	N/A	5/8"	3/4"	6"	9.25"
SIERRAC210	52"	14.5"	6.5"	IRREGULAR	1.6	N/A	5/8"	3/4"	5.5"	9.25"
SIERRAC210A	43.5"	14.5"	7.5"	IRREGULAR	1.2	N/A	5/8"	3/4"	6"	9.25"
SIERRAC210B	52.25"	17.5"	10.5"	IRREGULAR	1.6	N/A	5/8"	3/4"	6"	9.25"
SIERRAX210	50"	14.5"	9.75"	IRREGULAR	1.5	N/A	5/8"	3/4"	5.5"	9.25"
SIERRAX210B	52.75"	15.25"	10.5"	IRREGULAR	1.3	N/A	5/8"	3/4"	5.25"	9.25"
TACOMAD210A	41"	14.5"	7.7"	IRREGULAR	1.5	N/A	5/8"	3/4"	5"	9.25"
TITANC210B	53.5"	14.25"	7.5"	IRREGULAR	1.7	N/A	5/8"	3/4"	5.75"	9.25"
TUNDRAC210B	32"	9.5"	16"	IRREGULAR	1.3	N/A	5/8"	3/4"	6.25"	9.25"
TUNDRAR210B	34"	6.75"	16"	IRREGULAR	1.3	N/A	5/8"	3/4"	5.25"	9.25"
YUKON210	40.5"	13.5"	17"	IRREGULAR	2.7	N/A	5/8"	3/4"	13"	9.25"
RF PRIME SERIES - SEALED										
RFP10	15.9"	12.2"	12"	WEDGE	0.89	N/A	3/4"	7/8"	9.25"	9.3"
RFP12	19.5"	11.3"	14"	WEDGE	1.15	N/A	3/4"	7/8"	8"	11.2"
RFP210	28"	13"	12"	WEDGE	1.75	N/A	3/4"	7/8"	9.75"	9.3"
RFP212	33.7"	12.2"	14"	WEDGE	2.29	N/A	3/4"	7/8"	9.25"	11.2"
RF PUNCH SERIES - PORTED										
RF10P	18"	16.5"	13.5"	WEDGE	1.4	40HZ	3/4"	1"	12.5"	9.3"
RF12P	21"	16.25"	15.5"	WEDGE	1.79	39HZ	3/4"	1"	7.5"	11.3"
RF210P	31.5"	17"	13.5"	WEDGE	2.8	40HZ	3/4"	1"	7.75"	9.3"
RF212P	33"	18.25"	15.5"	WEDGE	3.6	39HZ	3/4"	1"	8.5"	11.3"
RF SHALLOW - SEALED										
RFS10	22"	6.25"	14"	WEDGE	0.6	N/A	5/8"	5/8"	3.5"	9.25"
RFS12	25"	6.5"	16"	WEDGE	0.8	N/A	5/8"	5/8"	3.625"	11.3"
RFS210	30.75"	6.25"	14"	WEDGE	0.9	N/A	5/8"	5/8"	3.5"	9.25"
RFS212	32"	6.5"	16"	WEDGE	1.1	N/A	5/8"	5/8"	3.625"	11.3"
KENWOOD SERIES - SEALED										
KFC-W212S	33"	14.5"	14.5"	WEDGE	2.5	N/A	5/8"	5/8"	11.25"	10.9"
JBL CS SERIES - PORTED										
CSBW121	21"	14.75"	14.5"	WEDGE	1.75	34HZ	5/8"	5/8"	8.25"	9"
CSBW102	29.5"	16.75"	13"	WEDGE	2.5	33HZ	5/8"	5/8"	8"	11"
FULL-RANGE SERIES										
6911CX2	11.25"	8.5"	5.75"	IRREGULAR	N/A	N/A	1/2"	1/2"	5"	5.75" X 8.75"
6911TX	8.25"	6"	12"	IRREGULAR	N/A	N/A	1/2"	1/2"	5"	5.75" X 8.75"
6511CX	9.75"	8.25"	7"	IRREGULAR	N/A	N/A	1/2"	1/2"	6"	5.25"